

4-19-1988

Temperature-Activated Window Blind Control Project

William G. Miles

Indiana University - Purdue University Fort Wayne

Follow this and additional works at: http://opus.ipfw.edu/etcs_seniorproj_mcetid

Opus Citation

William G. Miles (1988). Temperature-Activated Window Blind Control Project.
http://opus.ipfw.edu/etcs_seniorproj_mcetid/24

This Senior Design Project is brought to you for free and open access by the School of Engineering, Technology and Computer Science Design Projects at Opus: Research & Creativity at IPFW. It has been accepted for inclusion in Manufacturing & Construction Engineering Technology and Interior Design Senior Design Projects by an authorized administrator of Opus: Research & Creativity at IPFW. For more information, please contact admin@lib.ipfw.edu.

FINAL REPORT ON
TEMPERATURE-ACTIVATED WINDOW BLIND CONTROL PROJECT
AUGUST 1986 - APRIL 1988

to

S. Hollander
and
D. McAleece

from

William G. Miles

April 19, 1988

ABSTRACT

This report describes the design and fabrication of a test model Temperature-Activated Window Blind Control. The device opens or closes a window quilt automatically for maximum energy savings.

TABLE OF CONTENTS

Page	
i	Descriptive Abstract
iii	List of Figures
1	INTRODUCTION
7	TECHNICAL PLAN
7	Design Criteria
8	Testing Criteria
9	ACTIVITIES
9	Design
14	Fabrication
16	Testing
18	COST
19	CONCLUSION
20	Bibliography
22	Appendix 1: Initial Proposal
50	Appendix 2: Consumer Price Indexes for Selected Items and Groups: 1970 to 1984
51	Appendix 3: Residential Energy Consumption and Expenditures
52	Appendix 4: Somfy Motor Data
66	Appendix 5: Window Quilt Data
68	Appendix 6: Blueprints
72	Appendix 7: 9 Volt Battery Eliminator
73	Appendix 8: 5 Volt Voltage Regulator
79	Appendix 9: Precision Temperature Sensor
87	Appendix 10: Voltage Comparator
95	Appendix 11: NPN Transistor
96	Appendix 12: SPDT PC Relay
97	Appendix 13: 120 Volt General Purpose Relay

LIST OF FIGURES

Page	
3	Figure 1: Energy lost through windows by infiltration
4	Figure 2: Energy lost through windows by convection
4	Figure 3: Energy lost through a window by conduction
5	Figure 4: Energy lost through windows by radiation
9	Figure 5: Switch layout
11	Figure 6: 9 volt circuit
11	Figure 7: 5 volt circuit
13	Figure 8: 120 volt circuit